



Akkadian Provisioning Manager Release Notes

4.14.32 — Last update: 2019/06/24

Table of Contents

Product Description	1
Release – 4.14.32	2
Improvements	3
Fixes	4


Product Description

Akkadian Provisioning Manager™ simplifies the process of provisioning across all the major Cisco Unified Communication applications. From a single pane of glass, provision users in Cisco Unified Communications Manager, Unity Connection, Contact Center Express, WebEx and more.

Leverage fully automated provisioning with Active Directory or integrate to existing application using the API. Use Bulk Provisioning to help with large projects or Report Manager to report on or modify existing data. Offload provisioning task to users with the Self-Care Portal and manage devices using Phone Control.

Video Release Notes

View our video release notes to witness some of the great new features in Provisioning Manager 4.14. Please review the written release notes for important information regarding the upgrade process as well as other important information.



Release – 4.14.32

Release 4.14.32 is a maintenance release for Provisioning Manager 4.14. Please see the [release notes for version 4.14.06](#) for the initial Provisioning Manager 4.14 release information.

Provisioning Manager 4.14.32 only supports direct upgrades from versions 4.11.02 and above.



Please review the upgrade notes in 4.14.06 before upgrading Provisioning Manager.

Improvements

APM-4642 – Add Product Specific Configuration Layout for CUCM 12.5.x

APM-4449 – Add a GV inside of the SYSTEM Name for Product Specific Config Settings

APM-4565 – PCCE – Added support for SSO – Login Enable check-box.

APM-4595 – Prevent deletion of application servers if they used in service group

APM-4589 – Include DN Prefix for DN Range when searching DN during Provisioning

APM-4570 – Implement new authentication method for Cisco WebEx Teams

Fixes

- APM-4588** – Change application ping from port TCP 80 to TCP 8443
- APM-4612** – RDP should not be automatically added to CTI Controlled devices
- APM-4616** – Smart release tracking status lock for automation tasks
- APM-4671** – Bulk Phone Control not able to enable phone personalization
- APM-4673** – CUCM 12.5 error – unable to translate ENUM to selected TypePreferredMediaSource
- APM-4676** – Unable to import WebEx user in the template
- APM-4578** – Site Template CSV Import is creating a BLANK DN Pool on the import.
- APM-4581** – Line Template does not uncheck “Urgent Priority” field after unchecking and saving the template
- APM-4594** – When provisioning a PCCE Agent, attributes are not being set
- APM-4617** – Error thrown when target device has no existing lines associated
- APM-4643** – Unable to Delete Line Groups
- APM-4646** – Unable to select device type under “Phone Control Actions” after running action and moving in/out of tab
- APM-4669** – RDP is being associated in the end user section “CTI Controlled Device Profiles”