

NVMesh CSI Driver Guide

1.2.1 — Last update: 10 April 2022

Excelero, Ltd.

Table of Contents

| | |
|---|-----------|
| 1. Copyright and Trademark Information | 1 |
| 2. Preface | 2 |
| 3. Introduction | 3 |
| 4. Kubernetes | 4 |
| 4.1. Quick Start Guides | 5 |
| 4.1.1. Install & Configure | 6 |
| 4.1.2. Create PVC and POD | 8 |
| 4.2. Installation & Configuration | 10 |
| 4.3. Uninstall | 12 |
| 4.4. Usage | 13 |
| 4.4.1. Creating a PersistentVolumeClaim | 14 |
| 4.4.2. Multiple NVMesh Clusters & Topology | 16 |
| 4.4.3. Important Notes and Known Issues | 22 |
| 4.4.4. Examples | 23 |
| 4.4.4.1. Static Provisioning | 24 |
| 4.4.4.2. Storage Class | 27 |
| 4.4.4.3. Block Volume | 30 |
| 4.4.4.4. File System Volume | 31 |
| 4.4.4.5. Using a Custom VPG | 33 |
| 4.4.4.6. Read Only Volume | 34 |
| 5. Document Reference | 38 |
| 6. Versions | 39 |

1. Copyright and Trademark Information

© 2015-2022 Excelero, Inc. All rights reserved. Specifications are subject to change without notice. Excelero, the Excelero logo, Remote-Direct-Drive-Access (RDDA) and MeshProtect are trademarks Excelero, Inc. in the United States and/or other countries. NVMesh® is a registered trademark of Excelero, Inc. in the United States.

All other brands or products are trademarks or registered trademarks of their respective holders and should be treated as such.

2. Preface

Excelero™ creates innovative, high performance storage solutions that accelerate business applications and deliver outstanding return on investment with the lowest cost of ownership. The NVMesh® software defined block storage product offers the performance of local server flash with the convenience, efficiency and redundancy of an all-flash-array. For details, go to: www.excelero.com.

This document describes the NVMesh CSI Driver for integration with Container Orchestration System (CO) e.g. Kubernetes. For more information on NVMesh refer to [NVMesh User Guide](#).

AUDIENCE

The primary audience for this document is intended to be storage and/or application administration personnel responsible for installing and deploying the Excelero NVMesh product in a Container Orchestration environment.

NON-DISCLOSURE REQUIREMENTS

© Copyright 2015-2022 Excelero, Inc. All rights reserved. This document contains the confidential and proprietary information of Excelero, Inc. Do not reproduce or distribute without the prior written consent of Excelero.

FEEDBACK

We continually try to improve the quality and usefulness of Excelero documentation. If you have any corrections, feedback, or requests for additional documentation, send an e-mail message to support@excelero.com

INFORMATION ABOUT THIS DOCUMENT

All information about this document including typographical conventions, references, and a glossary of terms can be found in the [Document Reference Section](#).

3. Introduction

NVMesh CSI Driver is a Container Storage Interface (CSI) driver that allows Container Orchestration systems (COs) to use the NVMesh storage backend.

The driver allows COs to allocate, manipulate and remove NVMesh Persistent Volumes using the COs interface.

This document describes the Installation, Configuration and Usage of the NVMesh CSI Driver in all supported COs.

4. Kubernetes

NVMesh CSI driver is compatible with any Container Orchestration (CO) system that support the CSI spec. It may also be compatible with other provisioning systems that support CSI such as Openshift.

This section covers the usage with Kubernetes

4.1. Quick Start Guides

This section includes guides that will help you get your NVMesh CSI Driver installed configured and tested quickly.

4.1.1. Install & Configure

Deploy the NVMesh CSI Driver

To deploy the driver in Kubernetes simply run the following command from a node with kubectl in your cluster.

Using helm

Download the helm chart using:

```
wget https://github.com/Excelero/nvmesh-csi-driver/releases/download/v1.2.1/helm-chart.nvmesh-csi-driver-1.2.1.tgz
```

Install and set the nvmesh-management server and protocol:

```
kubectl create namespace nvmesh-csi
helm install nvmesh-csi-driver --namespace nvmesh-csi-driver ./helm-chart.nvmesh-csi-driver-1.2.1.tgz --set config.servers=<your.mgmt.server>:4000 --set config.protocol=https
```

Using kubectl (without helm)

```
kubectl create namespace nvmesh-csi
# for kubernetes version < 1.22
kubectl apply -f https://raw.githubusercontent.com/Excelero/nvmesh-csi-driver/v1.2.1/deploy/kubernetes/deployment.yaml
# for kubernetes version >= 1.22
kubectl apply -f https://raw.githubusercontent.com/Excelero/nvmesh-csi-driver/v1.2.1/deploy/kubernetes/deployment-k8s-1.22.yaml
```

Configure



If you used helm to install the driver and you set the flags for `config.servers` and `config.protocol` during installation you can skip this step.

To let the CSI Driver know where your nvmesh-management server is, run the following on your master node and follow the instructions:

```
bash <(curl -s https://raw.githubusercontent.com/Excelero/nvmesh-csi-driver/v1.2.1/deploy/kubernetes/scripts/set_mgmt_address.sh)
```


This will update the nvmesh-csi-config ConfigMap and restart the nvmesh-csi-controller POD.

You are all set!

[Next Quick Guide – Create Volume and POD](#)

4.1.2. Create PVC and POD

This quick start guide walks you through creating a BlockVolume using the NVMesh CSI Driver and using this volume from a POD.

Prerequisite

Before you continue, please make sure you have already [Installed and Configured](#) your NVMesh CSI Driver on your cluster.

Create a PVC

Create a volume using the following PVC yaml:

```
apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: block-pvc
spec:
  accessModes:
    - ReadWriteMany
  volumeMode: Block
  resources:
    requests:
      storage: 5Gi
  storageClassName: nvmesh-concatenated
```

Run the following command and check the output to make sure your volume was created successfully:

```
$kubectl get pvc
NAMESPACE   NAME           STATUS    VOLUME                                     CAPAC
ITY    ACCESS MODES  STORAGECLASS          AGE
default    block-pvc     Bound      pvc-2ec86fdd-f656-4810-9a03-54fcd668a705  5G
i        RWX           nvmesh-concatenated  2s
```

Go to your NVMesh-Management GUI. You should be able to see that a new volume was created.

Create a POD

Create a POD using the following PVC yaml:

```
apiVersion: v1
```

```
kind: Pod
metadata:
  name: block-volume-consumer-pod
  labels:
    app: block-volume-consumer-test
spec:
  containers:
    - name: block-volume-consumer
      image: excelero/qguide_block_volume_consumer
      args: ["/dev/my_block_dev"]
      volumeDevices:
        - name: block-volume
          devicePath: /dev/my_block_dev
  volumes:
    - name: block-volume
      persistentVolumeClaim:
        claimName: block-pvc
```

Run the following command. Check the output to make sure your pod was created successfully:

```
$ kubectl get pod block-volume-consumer-pod
```

| NAME | READY | STATUS | RESTARTS | AGE |
|---------------------------|-------|---------|----------|-----|
| block-volume-consumer-pod | 1/1 | Running | 0 | 20s |

Check the logs:

```
$ kubectl logs block-volume-consumer-pod
Writing to file /dev/my_block_dev
Read 15 bytes: "Excelero NVMesh"
- Sleeping
- Sleeping
```

The following indicates that the Container in the pod had successfully written and read from the block device /dev/my_block_dev

For more examples, go to [Usage Examples](#).

4.2. Installation & Configuration

Installation

Using helm

Download the helm chart:

```
wget https://github.com/Excelero/nvmesh-csi-driver/releases/download/v1.2.1/helm-chart.nvmesh-csi-driver-1.2.1.tgz
```

Install and set the nvmesh-management server and protocol:

```
kubectl create namespace nvmesh-csi
helm install nvmesh-csi-driver --namespace nvmesh-csi-driver ./helm-chart.nvmesh-csi-driver-1.2.1.tgz --set config.servers=<your.mgmt.server>:4000 --set config.protocol=https
```

Using kubectl (without helm)

```
kubectl create namespace nvmesh-csi
# for kubernetes version < 1.22
kubectl apply -f https://raw.githubusercontent.com/Excelero/nvmesh-csi-driver/v1.2.1/deploy/kubernetes/deployment.yaml
# for kubernetes version >= 1.22
kubectl apply -f https://raw.githubusercontent.com/Excelero/nvmesh-csi-driver/v1.2.1/deploy/kubernetes/deployment-k8s-1.22.yaml
```

Configuration

- If you are using the Kubernetes Dashboard, make sure the selected namespace is `nvmesh-csi` in the side menu.

Edit Management Server Address

Using the Kubernetes dashboard, go to Config Maps > nvmesh-config.

OR from the terminal run: `kubectl edit configmap -n nvmesh-csi nvmesh-csi-config`.

Edit `management.servers` to your `MANAGEMENT_SERVERS` configuration: `management.servers: server-1.domain.com`.

For multiple management servers: `management.servers: server-1.domain.com,server-2.domain.com,server-2.domain.com`.

If you deployed NVMesh Management in a Container using [Excelero/nvmesh-mgmt-docker](#), then use:

```
management.servers: "nvmesh-management-svc.nvmesh.svc.cluster.local:4000"  
management.protocol: "http"
```

Edit Management Server Username and Password



This step is required only if the default username/password of the management server was changed.

Using the Kubernetes dashboard, go to `Secrets > nvmesh-credentials`.

OR from the terminal run: `kubectl edit secret -n nvmesh-csi nvmesh-credentials`.

Edit `username` and `password` to your management server credentials configuration.

p(banner tip). Secrets in Kubernetes must be in base64 format

For example, use:

```
echo -n 'admin@excelero.com' | base64
```

and

```
echo -n 'admin' | base64
```

to get the username and password in base64.

For more info visit: [Kubernetes Docs – Convert your secret data to a base-64 representation](#).

4.3. Uninstall

If you installed using `helm`, then use:

```
helm uninstall nvmesh-csi-driver
```

Otherwise, uninstall the `nvmesh-csi-driver` from Kubernetes using the following command:

```
wget -O - https://raw.githubusercontent.com/Excelero/nvmesh-csi-driver/master/deploy/kubernetes/scripts/remove_deployment.sh | bash
```

This will remove all NVMesh CSI Driver Kubernetes objects and remove `nvmesh-csi` namespace.

The ConfigMap will still be available under `nvmesh-csi-saved` namespace.

4.4. Usage

This topic describes how to use the NVMesh CSI Driver in Kubernetes.

- [Creating a PersistentVolumeClaim](#)
- [StorageClass](#)
- [Important Notes and Known Issues](#)
- [Examples](#)

4.4.1. Creating a PersistentVolumeClaim

In Kubernetes, a `PersistentVolumeClaim` (PVC) is a request for storage by a user.

Let's look at an example of a PVC yaml, and then describe the fields relevant for NVMesh and their options. For more information on PersistentVolumeClaims, see [K8s Docs – PersistentVolumesClaims](#).

```
apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: block-pvc
spec:
  accessModes:
    - ReadWriteMany
  volumeMode: Block
  resources:
    requests:
      storage: 10Gi
  storageClassName: nvmesh-concatenated
```

Access Modes (accessModes)

The Kubernetes `accessMode` defines a **per Node semantics** of how the user wants to access the volume. The following values are accepted:

- `ReadWriteOnce` – the volume can be mounted as read-write by a single node.
- `ReadOnlyMany` – the volume can be mounted read-only by many nodes.
- `ReadWriteMany` – the volume can be mounted as read-write by many nodes.

Volume Mode (volumeMode)

The `volumeMode` field controls which type of volume will be created. accepted values are:

- `Block` – Will create a raw block NVMesh volume.
- `FileSystem` – Will create a block NVMesh volume and upon first attach the volume will be formatted into a `FileSystem` according to the `FileSystem` defined in the [StorageClass](#). See [Important Nodes and Known Issues](#) for more info on `FileSystem` volumes limitations.

For more information on `volumeMode` please refer to [K8s Docs – PersistentVolumesClaims](#)

Request Storage (resources.requests.storage)

This enables entering the amount of Storage to be provisioned for the requested volume.

A value of 100Gi will create a 100GiB Volume in NVMesh.

Storage Class Name (storageClassName)

This is the name of the StorageClass object in Kubernetes.

It will tell Kubernetes that NVMesh is the storage backend as well as declare the volume type and its parameters.

After installing the nvmesh-csi-driver, default StorageClass objects for each of the default NVMesh Volume Provisioning Groups (VPGs) will be created.

Following is the list of default StorageClass names and their corresponding VPG in NVMesh:

| StorageClass name | NVMesh VPG |
|------------------------------------|---|
| nvmesh-concatenated | DEFAULT_CONCATENATED_VPG |
| nvmesh-raid0 | DEFAULT_RAID_0_VPG |
| nvmesh-raid1 | DEFAULT_RAID_1_VPG |
| nvmesh-raid10 | DEFAULT_RAID_10_VPG |
| nvmesh-ec-dual-target-redundancy | DEFAULT_EC_DUAL_TARGET_REDUNDANCY_VPG |
| nvmesh-ec-single-target-redundancy | DEFAULT_EC_SINGLE_TARGET_REDUNDANCY_VPG |

See more about StorageClasses [here](#).

4.4.2. Multiple NVMesh Clusters & Topology

Introduction

The NVMesh CSI Driver Topology feature allows a single CSI driver to manage multiple clusters of NVMesh within a single Kubernetes environment.

The driver topology feature ensures that each pod using a NVMesh-based PVC will only be scheduled on nodes where the volume is accessible from the NVMesh client.

When the topology feature is configured, each NVMesh cluster will be represented as an NVMesh CSI zone. The driver automatically adds a label on each node in the format `nvmesh-csi.excelero.com/zone=<zone name>` to have Kubernetes associate each node with a cluster or zone.

The configuration of zones is configured by the administrator in the `nvmesh-csi-driver-config` ConfigMap. The driver will discover all nodes for a given zone by querying the NVMesh management servers configured for that zone and will save this topology in a new ConfigMap named `nvmesh-csi-topology`. This ConfigMap should not be modified by the user. When a volume is created, the driver will add `nodeAffinity` to the `PersistentVolume` with the zone label to let the Kubernetes scheduler know that all future pods using this PVC should be scheduled only on nodes in the same zone as the NVMesh cluster where the volume was provisioned.

Configuration

To inform the CSI driver of the available zones add the `topology` field to the `nvmesh-csi-driver-config` ConfigMap.

Following is an example with a list of all available options.

```
kind: ConfigMap
apiVersion: v1
metadata:
  name: nvmesh-csi-driver-config
data:
  management.protocol: https
  management.servers: 10.0.1.117:4000
  attachIOEnabledTimeout: "30"
  topology: |-
    {
      "zones": {
        "zone_A": {
          "management": {
            "servers": "worker1.domain.com:4000"
          }
        }
      }
    }
```

```

    },
    "zone_B": {
      "management": {
        "servers": "worker4.domain.com:4000"
      }
    }
  }
}

```

The topology field is a JSON with a single `zones` key, which contains the configuration for each zone. Each key in the `zones` object is a name of a zone and the value provides the zone configuration parameters.

For each zone configuration, the following fields are available:

| Field | Description |
|----------------------------------|--|
| <code>management</code> | Configuration for the management server in this specific zone |
| <code>management.servers</code> | A comma-separated list of management servers addresses in the format <code>address:port</code> , for instance <code>management-1:4000,management-2:4000</code> |
| <code>management.protocol</code> | The management server protocol, i.e. “http” or “https” |
| <code>management.user</code> | The management user to login with, for instance “admin@excelero.com” |
| <code>management.password</code> | The management password, for instance “admin” |

Creating Volumes and Pods

Create a PVC and a Pod

Create a `StorageClass` with `volumeBindingMode: WaitForFirstConsumer`.

```

kind: StorageClass
apiVersion: storage.k8s.io/v1
metadata:
  name: nvmesh-with-topology
provisioner: nvmesh-csi.excelero.com
allowVolumeExpansion: true
volumeBindingMode: WaitForFirstConsumer

```

```
parameters:
  vpg: DEFAULT_CONCATENATED_VPG
```

Create a PVC using this StorageClass

```
apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: topology-volume0
spec:
  accessModes:
    - ReadWriteOnce
  volumeMode: Filesystem
  resources:
    requests:
      storage: 1Gi
  storageClassName: nvmesh-wait-for-consumer
```

Create a Pod that uses the PVC

```
apiVersion: v1
kind: Pod
metadata:
  name: topology-pod0
spec:
  serviceAccountName: topology-aware
  containers:
    - name: nginx
      image: gcr.io/google_containers/nginx-slim:0.8
      ports:
        - containerPort: 80
          name: web
      volumeMounts:
        - name: www
          mountPath: /usr/share/nginx/html
  volumes:
    - name: www
      persistentVolumeClaim:
        claimName: topology-volume0
```

Assign the PVC / Pod to a zone using a StorageClass with the topology field

To create volumes on a specific NVMesh cluster, create a `StorageClass` with the `allowedTopologies` field.

When a PVC is created from a `StorageClass` with this field, the CSI driver will create the volume on the desired zone.

Multiple `allowedTopologies`

If multiple zones are allowed, as in the example below, the CSI driver will randomly pick one of the zones and create the volume on that zone.

The `PersistentVolume` will then be accessible only on the selected zone and every pod with the same PVC will only be scheduled to that selected zone.

Different PVCs created from the same `storageClass` may be in different zones.

```
kind: StorageClass
apiVersion: storage.k8s.io/v1
metadata:
  name: nvmesh-with-topology
provisioner: nvmesh-csi.excelero.com
allowVolumeExpansion: true
volumeBindingMode: WaitForFirstConsumer
parameters:
  vpg: DEFAULT_CONCATENATED_VPG
allowedTopologies:
- matchLabelExpressions:
  - key: nvmesh-csi.excelero.com/zone
    values:
    - zone_A
    - zone_B
```

Assign a PVC or Pod to a zone using the Pod's `nodeAffinity`

It is possible to set the `nodeAffinity` directly on the pod. The PVC and the pod will then be created in the desired zone. In this case, the PVC should use a `StorageClass` with `volumeBindingMode: WaitForFirstConsumer`.

```
apiVersion: v1
kind: Pod
metadata:
  name: topology-pod0
spec:
  serviceAccountName: topology-aware
```

```

spec:
  affinity:
    nodeAffinity:
      requiredDuringSchedulingIgnoredDuringExecution:
        nodeSelectorTerms:
          - matchExpressions:
              - key: nvmesh-csi.excelero.com/zone
                operator: In
                values:
                  - zone_A
                  - zone_B
    containers:
      - name: nginx
        image: gcr.io/google_containers/nginx-slim:0.8
        ports:
          - containerPort: 80
            name: web
        volumeMounts:
          - name: www
            mountPath: /usr/share/nginx/html
    volumes:
      - name: www
        persistentVolumeClaim:
          claimName: topology-volume0

```

For a more complex example with StatefulSet, Multiple Zone and antiAffinity on zones, see [Topology-Aware Volume Provisioning in Kubernetes](#)

PVC with volumeBindingMode: Immediate

When a PVC with `volumeBindingMode: Immediate` is created, the NVMesh CSI Driver will randomly pick a zone and provision the volume on that zone.

All subsequent pods using this PVC will be scheduled to this zone.

* `volumeBindingMode: WaitForFirstConsumer` should be preferred as this will allow the Kubernetes scheduler to schedule the pod to the most fitting node taking into account the load on nodes and their capabilities, such as network, CPU, memory etc. The PVC will then be provisioned on the zone where the first pod was scheduled.

References

For additional details on VolumeBindingMode, see [k8s Documentation – VolumeBindingMode](#)

For additional details on AllowedTopologies, see [k8s Documentation – AllowedTopologies](#)

4.4.3. Important Notes and Known Issues

AccessMode

The Kubernetes `AccessMode` field in a PVC can receive the following values:
(reference [K8s Docs – Volume AccessMode](#))

- `ReadWriteOnce` – the volume can be mounted as read-write by a single node
- `ReadOnlyMany` – the volume can be mounted read-only by many nodes
- `ReadWriteMany` – the volume can be mounted as read-write by many nodes

✱ Kubernetes `AccessModes` as defined today, only describe node attach (not pod mount) semantics. For example when using `AccessMode: ReadWriteOnce` The NVMesh CSI Driver will allow the attach to happen only on one node BUT **does not guarantee** that 2 pods running on the same node will not access the volume at the same time.

FileSystem Volumes

When creating a `FileSystem` Volume the CSI Driver currently supports only non-shared File Systems (ext4 and xfs)

This means that the user should make sure that no more than one POD is writing to the Volume at the same time, and multiple readers might not have the most updated data.

About using the PVC `AccessMode` field please see below.

To deploy any other file system, please create a [BlockVolume](#) and deploy the file system after the volume was created.

! When `FileSystem` Volume is used Make sure you have configured the consuming PODS to have only one writer at a time. having multiple writers might cause the attach process to hang making the volume unusable.

4.4.4. Examples

This section covers examples of creating Kubernetes objects that use NVMesh Storage backend.

- [Block Volume](#)
- [File System Volume](#)
- [Using Custom VPG](#)

4.4.4.1. Static Provisioning

For Static Provisioning, we have an existing NVMesh volume that was created outside the CSI scope and want to consume it in Kubernetes.

By default, when creating a PVC from an NVMesh StorageClass, the CSI Driver will create a new NVMesh Volume and a new PersistentVolume in Kubernetes will be created to describe the new volume. This is called **Dynamic Provisioning**.

However, If you have an existing NVMesh Volume, possibly already populated with data, to consume it in Kubernetes, you will need to use **Static Provisioning**.

Following is an example of Static Provisioning:

- This example is also available in the github repo under [docs/examples/static-provisioning.yaml](https://github.com/excelero/nvmesh-csi-driver/blob/master/docs/examples/static-provisioning.yaml).

Create NVMesh Volume

Create a volume in the NVMesh Management software with the following attributes:

- Name: vol-1
- Capacity: 5Gi
- Raid Type: RAID10 (you could use the DEFAULT_RAID_10_VPG)

Create a PersistentVolume in Kubernetes

Create a PersistentVolume in Kubernetes to represent the volume already defined in the NVMesh:

```
apiVersion: v1
kind: PersistentVolume
metadata:
  name: name-in-k8s
spec:
  accessModes:
    - ReadWriteMany
    - ReadWriteOnce
    - ReadOnlyMany
  persistentVolumeReclaimPolicy: Retain
  capacity:
    storage: 5Gi
  volumeMode: Block
  storageClassName: nvmesh-raid10
  csi:
    driver: nvmesh-csi.excelero.com
```

```
volumeHandle: vol-1
```

Relevant fields info:

`metadata.name` is the name that this PV will have in Kubernetes.

`spec.csi.driver` **must be set to** `nvmesh-csi.excelero.com`.

`spec.csi.volumeHandle` is the name of the volume in NVMesh.

`persistentVolumeReclaimPolicy`, by setting this field to `Retain` we let Kubernetes know this `PersistentVolume` should not be deleted when the bounded PVC is deleted.

`accessModes`, note that in this example we allowed all Access Modes, but you can choose any sub-set of these 3 options.

Create a PersistentVolumeClaim

Create a PVC that will be bound to the PV just created.

```
apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: pvc-1
spec:
  accessModes:
    - ReadWriteOnce
  volumeMode: Block
  resources:
    requests:
      storage: 5Gi
  storageClassName: nvmesh-raid10
```

Create a Pod that uses the Volume

Run a pod that will mount this volume and use it:

- This pod specifically does nothing with the volume, but you could get a shell to the running container and explore or run IO on the volume.
- The volume is available inside the pod under `/vol`.

```
apiVersion: v1
```

```
kind: Pod
metadata:
  name: pod-1
spec:
  containers:
  - name: c-1
    image: alpine
    command: ["/bin/sh", "-c", "echo hello ; while true ; do wait 1; done"]
    volumeDevices:
      - name: vol
        devicePath: /vol
  restartPolicy: Never
  volumes:
  - name: vol
    persistentVolumeClaim:
      claimName: pvc-1
```

4.4.4.2. Storage Class

In Kubernetes, a `StorageClass` provides a way for administrators to describe the “classes” of storage they offer.

For NVMesh, different `StorageClasses` could describe different type of volumes that will be created by the NVMesh backend. (e.g different RAID Levels).

Let's look at an example of a `StorageClass` yaml and then describe the fields relevant to NVMesh and their options.

For more information on `StorageClass`, see [K8s Docs – StorageClass](#).

```
kind: StorageClass
apiVersion: storage.k8s.io/v1
metadata:
  name: nvmesh-raid10
provisioner: nvmesh-csi.excelero.com
allowVolumeExpansion: true
volumeBindingMode: Immediate
mountOptions:
  - debug
parameters:
  vpg: DEFAULT_RAID_10_VPG
```

Provisioner

The `provisioner` field determines which storage backend driver / plugin will be used for provisioning the volume.

To create an NVMesh volume, this field must be set to: `nvmesh-csi.excelero.com`

Allow Volume Expansion (`allowVolumeExpansion`)

The field `allowVolumeExpansion` controls whether the volume should be expandable or not.

For more info, see [K8s Docs – Allow Volume Expansion](#).

Volume Binding Mode (`volumeBindingMode`)

The `volumeBindingMode` field controls volume provisioning timing. The following values are accepted:

- `Immediate`: This is the default if omitted. If this value is set, dynamic provisioning occurs once the `PersistentVolumeClaim` is created.
- `WaitForFirstConsumer`: If this value is set, volume provisioning will be delayed until a Pod using the `PersistentVolumeClaim` is created.

For more info on volumeBindingMode, see [K8s Docs – VolumeBindingMode](#)

Mount Options (mountOptions)

The `mountOptions` field enables setting the options passed to the mount command (`mount -o <options>`) and a special key allows to set the mount permissions.

To set the mount permissions, for example to 777, use:

```
mountOptions:
  - nvmesh:permissions=777
```



Mount options are not validated on either the class or PV. If a mount option is invalid, the PV mount fails.

Parameters

The `parameters` field is a structure used to define NVMesh specific parameters. The following parameters are accepted:

| field name | type | description |
|--|-------------------------|---|
| fsType Deprecated | choice ext3,ext4,xfs | Deprecated, see <code>csi.storage.k8s.io/fstype</code> below |
| <code>csi.storage.k8s.io/fstype</code> | choice ext3,ext4,xfs | When a PVC has <code>volumeMode: FileSystem</code> , the <code>fsType</code> field will determine which FileSystem type will be deployed on the volume. Accepted values are: <code>ext3</code> , <code>ext4</code> , <code>xfs</code> |
| mkfsOptions | string, optional | Flags and extended options to pass to mkfs command when creating a Filesystem. For available options, see the documentation of <code>mkfs.ext4</code> or <code>mkfs.xfs</code> e.g: <code>mkfsOption: -b 4096</code> |
| vpg | string, optional | The name of the NVMesh Volume Provisioning Group (VPG) as defined in the NVMesh Management. |
| raidLevel | string, optional | The volume type, allowed values are: <code>concatenated</code> , <code>raid0</code> , <code>raid1</code> , <code>raid10</code> and <code>ec</code> . |
| diskClasses | list, optional | Limit volume allocation to specific diskClasses, defaults to None. |
| serverClasses | list, optional | Limit volume allocation to specific serverClasses, defaults to None. |

| | | |
|--------------|----------------|--|
| limitByDisks | list, optional | Limit volume allocation to specific disks, defaults to None. |
| limitByNodes | list, optional | Limit volume allocation to specific nodes, defaults to None. |

If `raidLevel` is defined, the following parameters are accepted according to the selected `raidLevel`:

- If `raidLevel` is `raid0` or `raid10`
 - `stripeSize` (integer, optional) – number in blocks of 4k, i.e. `stripeSize:32 = 128k`, optional, defaults to 32.
 - `stripeWidth` (integer, optional) – number of disks to use, defaults to 2.
- If `raidLevel` is `ec`
 - `dataBlocks` (integer, optional) – number of disks to use, defaults to 8.
 - `parityBlocks` (integer, optional) – number of disks to use, defaults to 2.
 - `protectionLevel` (string, optional) – protection level to use, allowed values are `Full Separation`, `Minimal Separation`, `Ignore Separation` defaults to `Full Separation`.

✿ All integer values must be wrapped with quotes for Kubernetes to accept the yaml. i.e `stripeWidth: "2"`.

✿ For more info on the specific fields, their purpose and allowed value range, see the NVMeshSDK Documentation. To open NVMeshSDK documentation, go to your NVMesh Management Server and on the top right corner click [Docs > SDK](#).

4.4.4.3. Block Volume

Create a Raw Block Volume (Kubernetes 1.14 or higher)

✿ See section [Important Notes and Known Issues](#).

```
apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: block-pvc
spec:
  accessModes:
    - ReadWriteMany
  volumeMode: Block
  volumeBindingMode: Immediate
  resources:
    requests:
      storage: 3Gi
  storageClassName: nvmesh-concatenated
```


4.4.4.4. File System Volume

The driver deployment creates storage-classes that correspond to each of the NVMesh default VPGs.

The following storage classes will appear under namespace “nvmesh-csi”:

- nvmesh-concatenated
- nvmesh-raid0
- nvmesh-raid1
- nvmesh-raid10
- nvmesh-ec



Before creating a FileSystem volume, see [Important Notes and Known Issues](#).

Create a PersistentVolumeClaim of type RAID1

```
apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: nvmesh-raid1
spec:
  accessModes:
    - ReadWriteMany
  resources:
    requests:
      storage: 3Gi
  storageClassName: nvmesh-raid1
```

- This will default to a FileSystem Volume with ext4.

Create a Storage-Class for volumes with the XFS FileSystem

```
kind: StorageClass
apiVersion: storage.k8s.io/v1
metadata:
  name: nvmesh-xfs-class
provisioner: nvmesh-csi.excelero.com
allowVolumeExpansion: true
volumeBindingMode: Immediate
parameters:
```

```
vpg: DEFAULT_CONCATENATED_VPG  
fsType: xfs
```

Create a volume from the XFS Storage-Class

```
apiVersion: v1  
kind: PersistentVolumeClaim  
metadata:  
  name: nvmesh-xfs-volume  
spec:  
  accessModes:  
    - ReadWriteMany  
  resources:  
    requests:  
      storage: 3Gi  
  storageClassName: nvmesh-xfs-class
```

4.4.4.5. Using a Custom VPG

Create a VPG in the NVMesh Management software named `your_custom_vpg`.

Create a Storage-Class that will refer to the VPG we just created.

```
kind: StorageClass
apiVersion: storage.k8s.io/v1
metadata:
  name: nvmesh-custom-vpg
provisioner: nvmesh-csi.excelero.com
allowVolumeExpansion: true
volumeBindingMode: Immediate
parameters:
  vpg: your_custom_vpg
```

Create a volume from the Storage-Class.

```
apiVersion: v1
kind: PersistentVolumeClaim
metadata:
  name: nvmesh-custom-vpg-volume
spec:
  accessModes:
    - ReadWriteMany
  resources:
    requests:
      storage: 15Gi
  storageClassName: nvmesh-custom-vpg
```

4.4.4.6. Read Only Volume

How to Create a Read-Only NVMesh Volume & Populate it with Data

This example describes how to create an NVMesh volume for use as a ReadOnlyMany Persistent Volume. We will go over creating a Volume, populating it with data and then turn it into a ReadOnlyMany Volume.

✿ The following example uses `volumeMode: Filesystem` but the same applies for `volumeMode: Block`.

Create a Storage Class with `reclaimPolicy: Retain`.

```
kind: StorageClass
apiVersion: storage.k8s.io/v1
metadata:
  name: nvmesh-concatenated-retained
provisioner: nvmesh-csi.excelero.com
parameters:
  # set here the desired VPG
  vpg: DEFAULT_CONCATENATED_VPG
# set reclaimPolicy to retain so that the PV will not be deleted when it's PVC is deleted
reclaimPolicy: Retain
allowVolumeExpansion: true
volumeBindingMode: Immediate
```

Create a PVC for populating the volume with data.

This will create a new volume with `accessMode ReadWriteOnce` so we can write data into the volume.

```
kind: PersistentVolumeClaim
apiVersion: v1
metadata:
  name: claim-populate-vol-with-data
spec:
  accessModes:
    - ReadWriteOnce
  resources:
    requests:
      storage: 1Gi
```

```
storageClassName: nvmesh-concatenated-retained
volumeMode: Filesystem
```

Create a pod to write the data to the volume.

Example: This pod will create a file with data.

```
apiVersion: v1
kind: Pod
metadata:
  name: populate-vol-with-data
spec:
  restartPolicy: OnFailure
  containers:
    - name: write-to-volume
      image: centos:7
      command: ["/bin/bash", "-c", "echo some-data > /data/data.txt"]
      volumeMounts:
        - name: data-volume
          mountPath: /data/
  volumes:
    - name: data-volume
      persistentVolumeClaim:
        claimName: claim-populate-vol-with-data
```

✿ When the Pod is finished, delete the pod and also delete any workload using the PVC.

```
kubectl delete pod populate-vol-with-data
```

Delete the PVC.

As we used the storage-class with **reclaimPolicy: retain**, the PV will not be deleted by this action.

```
kubectl delete pvc claim-populate-vol-with-data
```

Edit the PersistentVolume Object.

Run this to find the PV created by the Claim:

```
kubectl get pv -o=custom-columns=NAME:.metadata.name,PVC:.spec.claimRef.name | grep claim-populate-vol-with-data
```

Edit the PV object by running:

```
kubect1 edit pv <pv name>
```

Perform the following changes:

```
kind: PersistentVolume
apiVersion: v1
metadata:
  name: pvc-f89b81c9-1c23-40c0-b3a7-eb70525c25ea
spec:
  capacity:
    storage: 1Gi
  csi:
    ...
  accessModes:
    # change ReadWriteOnce to ReadOnlyMany
    # - ReadWriteOnce
    - ReadOnlyMany
  # Remove claimRef so that the PV can be bounded again to a new PVC
  #claimRef:
  # ...
  persistentVolumeReclaimPolicy: Retain
  storageClassName: nvmesh-concatenated-retained
  volumeMode: Filesystem
```

Create a PVC with ReadOnlyMany.

```
kind: PersistentVolumeClaim
apiVersion: v1
metadata:
  name: claim-rom
spec:
  accessModes:
    - ReadOnlyMany
  resources:
    requests:
      storage: 1Gi
  storageClassName: nvmesh-concatenated-retained
  volumeMode: Filesystem
```

Create a pod to read the data.

Example Pod:

This pod will read the `data.txt` file and then try to delete the file printing the exit code (reading should succeed and deletion should fail).

```
apiVersion: v1
kind: Pod
metadata:
  name: read-data
spec:
  restartPolicy: OnFailure
  containers:
    - name: read-data
      image: centos:7
      cmd: ["/bin/bash", "-c", "cat /data/data.txt ; rm /data/data.txt; echo exit_code=$?"]
      volumeMounts:
        - name: data-volume
          mountPath: /data/
  volumes:
    - name: data-volume
      persistentVolumeClaim:
        claimName: claim-rom
```

5. Document Reference

Typographical Conventions

Throughout this document, the following typographical conventions are followed:

| Style | Meaning |
|------------------------|---|
| bold text | The name of an Excelero software component or technology |
| <code>text</code> | A file name, command or configuration text that can be utilized in a Linux terminal/shell, file or as a URL |
| <i>term in italics</i> | Generally, a term being used in specific relation to an element in the NVMesh |

Definitions

Throughout this document, these terms have the following meanings:

| Term | Definition |
|------------------------------|--|
| <i>Management Server</i> | The server(s), or OS image(s) running the management module software |
| <i>Target Node/Target</i> | A physical server containing one or more NVMe SSDs running the storage target module |
| <i>Client Node/Client</i> | An OS image instance running the block storage client software |
| <i>Converged Node</i> | A <i>target node</i> that is also running the block storage client software |
| <i>Logical Volume/Volume</i> | A logical block device defined with the NVMesh management module that can be attached to <i>client nodes</i> |
| RDDA | Remote Direct Drive Access. Excelero's patented low-latency and CPU bypass transport technology. |
| TOMA | Topology Manager . The storage target module component that handles error detection and volume rebuild activities. |

6. Versions

Version Compatibility

| NVMesh CSI Driver | CSI Spec | Kubernetes | NVMesh |
|-------------------|----------|------------|-------------|
| 0.9 | 1.1.0 | 1.15 | 1.3 |
| 1.0 | 1.1.0 | 1.15 | 1.3.2 |
| 1.1.0 | 1.1.0 | 1.15-1.21 | 2.0 |
| 1.1.1 | 1.3.0 | 1.17-1.21 | 2.0.5 – 2.2 |
| 1.1.2 | 1.3.0 | 1.17-1.21 | 2.0.5 – 2.2 |
| 1.1.3 | 1.3.0 | 1.17-1.21 | 2.2 |
| 1.1.4 | 1.3.0 | 1.17-1.21 | 2.2 |
| 1.1.5 | 1.3.0 | 1.17-1.21 | 2.2 |
| 1.1.6 | 1.3.0 | 1.17-1.21 | 2.2 |
| 1.1.7 | 1.3.0 | 1.17+ | 2.2 |
| 1.2.0 | 1.3.0 | 1.17+ | 2.2+ |
| 1.2.1 | 1.3.0 | 1.17+ | 2.2+ |